REFERENCES

Acharya, D. and Shrivastava, A. (2007). Ethnobotany, Alternative Medicine and Conservation of Indian Medicinal Plants. In: Souvenir of Indian International Convention on Health for All in 21st Centuary- Medicine for Future, 4th – 5th Aug. 2007, Apollo Hospital, Gandhi Nagar, Gujarat. 22-25 pp.

Agrawal, Mona Y., Agrawal, Yogesh P. and Shamkuwar Prashant B. (2014). Phytochemical and Biological Activities of *Chenopodium album*. *Int. J. of Pharm. Tech. Research.* 6(1): 383-391.

Banjare, Laxmi, Prasad, A.K. and Naik, M.L. (2012). *Boerhaavia diffusa* from Traditional use to Scientific Assessment – A Review. *Int. J. of Pharmaceutical and Biological Archives*. 3(6): 1346-1354.

Berlin, B. (1992). Ethnobotanical classification: Principles of categorization of Plants and Animals in Traditional Societies Princeton, USA: Prination University Press.

Bhandari, M.M. (1974). Famine food of Rajasthan desert. *Econ. Bot.* 28(1) : 73-81.

Bhandari, M.M. (1990). Flora of Indian Desert. Scientific Publishers, Jodhpur.

Borborah, K., Dutta, B. and Borthakur, S.K. (2014). Traditional uses of *Allium* L. Species from North East India with special reference to their Pharmacological Activities. *American J. of Phytomedicine and Clinical Therapeutics*. 2(8): 1037-1051.

Brij Lal and Singh, K.N. (2008). Indigenous herbal remedies used to cure skin disorders by the natives of Lahaul-Spiti in Himachal Pradesh. *Indian J. of Tradi. Know.* 7 (2): 237-241.

Chaudhary, Gagandeep, Goyal, Sandeep and Poonia, Priyanka (2010). *Lawsonia inermis* L.: A phytopharmacological review. *Int. J. of Pharm. Sci. and Drug Research.* 2(2): 91-98.

Chaudhary, K., Singh, M. and Pillai, U. (2008). Ethnobotanical Survey of Rajasthan – An update. *American Eurasian J. of Bot.* 1(2) : 38-45.

Chavda, G.K. (2006). Floristic and Ethnobotanical study of Angiosperms of Keshod, Mendarda, and Vanthly talukas of Junagadh district, Gujarat, Ph.D. Thesis, Bhavnagar University, Bhavnagar.

Cotton, C.M. (1996). Ethnobotany: Principles and applications Chichester, U.K.: John Wiley and Sons.

Dadhich, L.K., Sharma, Nivedita and Dadhich, Indu (2010). Medicinal plants in Urban Environment : Study of some important medicinal plants in urban area of Kota, Rajasthan. *Int. Res. J.* 1(10): 85-86.

Das, S.N. (1997). A study on the ethnobotany of Karauli and Sawai Madhopur district, Rajasthan, *J. Econ. Tax. Bot.* 21 (3): 587-605.

Devi, Gayathri, V., John, Anitha, Devi, Sreekala and Prabhakaran, V.A. (2011). Pharmacognostical studies on *Acacia catechu* willd and identification of antioxidant principles. *Int. J. of Pharmacy and Pharmaceutical Sci.* 3(2): 108-111.

Gahlawat, Dheeraj K., Jakhar, Savita and Dahiya, Pushpa (2014). *Murraya koenigii* (L.) Spreng: an ethnobotanical, phytochemical and pharmacological review. *J. of Pharmacognosy and Phytochemistry.* 3(3): 109-119.

Gangwar, Atul Kumar and Ghosh, Ashoke K. (2014). Medicinal uses and Pharmacological activity of *Adhatoda vasica*. *Int. J. of Herbal Medicine.* 2(1): 88-91.

Gautam, Asmita and Batra, Amla (2013). Ethnomedicinal plant product used by the local traditional practioners in Mount Abu, Rajasthan. *World J. of Pharmacy and Pharmaceutical Sciences 3(1)*: 388-395.

Hada, B.S. and Katewa, S.S. (2015). Ethnomedicinal aspects of some medicinal plants of Bundi district, Rajasthan. *IJLTET 5(1)*: 28-36.

Hada, B.S. and Katewa, S.S. (2015). Ethnomedicinal plants used against various diseases in Jhalawar district of Rajasthan, India. *J. of Global Biosciences* 4(4) : 2077-2086.

Harshberger, J.W. (1895). The Purpose of ethnobotany. *Bot Gaz.*, 21, 146-164.

Jain, A., Katewa, S.S., Galav, P.K., Nag, A. (2007). Unrecorded Ethno medicinal uses of Biodiversity from Tadgarh-Raoli Wild life Sanctuary, Rajasthan, India. *Acta botanica Yunnanica.* 29(3): 337-344.

Jain, D.L., Baheti, A.M. and Khandelwal, K.R. (2010). Use of medicinal plants among tribes in Satpuda region of Dhule and Jalgaon district of Maharashtra – An ethnobotanical survey. *Indian J. of Traditional knowledge*. 9(1):152-157.

Jain, Mahendra, Kapadia, Rakhee, Jadeja, R.N., Thounaojam, M.C., Devkar, R.V. and Mishra, S.H. (2012). Traditional uses, phytochemistry and pharmacology of *Tecomella undulate*– A review. *Asian Pacific J. of Tropical Biomedicine.* S: 1918-1923.

Jain, S.C., Jain, R. and Singh, R. (2009). Ethnobotanical Survey of Sariska and Siliserh regions from Alwar district of Rajasthan, India. *Ethnobotanical Leaflets.* 13: 171-188.

Jain, S.K. (1995). A Manual of Ethnobotany (2nd Ed.) Scientific Publishers, Jodhpur.

Jain, S.K. (2001). Ethnobotany in modern India. Phytomorphology Golden Jubilee Issue. pp. 39-54.

Jain, S.K. and Rao, R.R. (1977). Hand book of field and herbarium methods. Today and Tomorrow Printers and Publi., New Delhi, India.

Jena, Jitendra and Gupta, Ashish Kumar (2012). *Ricinus communis* Linn: A Phytopharmacological Review. *Int. J. of Pharmacy and Pharmaceutical Sci.* 4(4): 25-29.

Joseph, Baby and Raj, S. Justin (2011). An overview – *Ficus bengalensis* Linn. *Int. J. of Pharmaceutical Sciences Review and Research.* 6(1): 21-24.

Joshi, P. (1990). Plants of adornment and decoration of the tribals of Aravallis. *Vanyajati.* 38 (2) : 24-27.

Kapoor, BBS and Kishor, Kamal (2013), Some ethnomedicinal tree species of Shekhawati region of Rajasthan used in Folk and Herbal medicines. *UJAHM* 1(1): 5-9.

Katewa, S.S. (2009). Indigenous people and forests: Perspectives of an Ethnobotanical study from Rajasthan (India)- Herbal Drugs: Ethnomedicine to Modern Medicine. Springer Berlin. 33-56pp.

Kaur, Ravinder and Vashistha, B.D. (2014). Ethnobotanical studies of Karnal District, Haryana, India. *Int. Res. J. of Biol. Sci.* 3(8): 46-55.

Khan, J.B. and Singh, G.P. (2010). Ethno-medicinal active plants for treating cold and cough in the vicinity of Nahargarh wild life sanctuary, Jaipur, India. *Out Nature* 8: 225-230.

King, G. (1869). Famine food of Marwar. *Proc. Asiat Soc.* Bengal 38 : 116-122.

King, G. (1870). Notes on vegetable products used as food during late famine in Rajputana. *Trans Bot. Soc.* Edinberg. 10 : 1978.

Kumar, Anil and Singh, Ashatha (2012). Review on *Hibiscus rosa sinensis*. *Int. J. of Res. in Pharmaceutical and Biomedical Sci.* 3(2): 534-538.

Kumar, Sampath K.P., Bhowmik, Debjit, Chiranjib, Biswajit and Tiwari, Pankaj (2010). *Allium cepa* : A traditional medicinal herb and its health benefits. *J. of Chemical and pharmaceutical research.* 2(1): 283-291.

Kumar, Shah Rajesh, Das Loveleena and Sangma, Godwin (2013). Medicinal Property of *Murraya koenigii* – A Review. *Int. Res. J. of Bio. Sci.* 2 (9): 80-83.

Kuru, Pinar (2014). *Tamarindus indica* and its health related effects. *Asian Pacific Journal of Tropical Biomedicine.* 4(9): 676-681.

Meena, A.K., Yadav, A.K., Niranjan, U.S., Singh, Brijendra, Nagariya, A.K. and Verma, Mansi (2010). Review on *Cyperus rotundus* – A potential herb. *Int. J. of pharm. and clinical research.* 2(1) : 20-20.

Meena, Ajay Kumar, Yadav, Ajay and Rao, M.M. (2011). Ayurvedic uses and pharmacological activities of *Calotropis procera* Linn. *Asian J. of Traditional Medicines.* 6(2): 45-53.

Meena, K.L. and Yadav, B.L. (2010). Some traditional ethnomedicinal plants of Southern Rajasthan, *Indian J. Trad. Knowl.* 9 (3) : 471-474.

Meena, Mahesh Chand, Meena, Rishikesh and Patni, Vidya (2014). Ethnobotanical studies of *Citrullus colocynthis*(Linn.) Schrad. An important threatened medicinal herb. *J. of Medicinal Plants Studies* 2 (2): 15-22.

Meena, S.L., Sharma, K.C. and Gopalan, R. (2003). Ethno-medicinal plants of Karauli district, Rajasthan. *J. Econ. Tax. Bot.* 27 (1): 177-180.

Menghani, E., Pareek, A., Negi, R.S. and Ojha, C.K. (2010). Anti diabetic Potentials of various ethnomedicinal plants of Rajasthan. Ethnomedicinal Leaflets. 14: 578-583.

Miguel, G.Maria, Neves, A. Maria and Antunes, D. Maria (2010). Pomegranate (*Punica granatum* L.): A medicinal plant with myriad biological properties- A short review. *J. of Medicinal Plants Research.* 4(25): 2836-2847.

Mishra, Lalita, Dixit, Yogendra and Mohan Singh (2014). Studies on ethnomedicinal plants of Shekhawati region, Rajasthan, having hypoglycemic properties. *Indian J. of Fundamental and Applied Life Sciences.* 4 (2): 62-66.

Mohanapriya, M., Ramaswamy, Lalitha and Rajendran, R. (2013). Health and Medicinal Properties of Lemon (*Citrus limonum*). *Int. J. of Ayurvedic and Herbal Medicine.* 3(1): 1095-1100.

Nathawat, G.S., Deshpande, B.P. (1960). Plants of economic importance from Rajasthan-I. Acacias. *Proc. Raj Acad. Sci.* 7 : 38-48.

Pandey, R.K., Bajpai, A.K., Bhattacharya, P. (1991). Some unique folk medicines of Baiga tribes of Mandla district of Madhya Pradesh. *J. Trop. Forest.* 7(1): 62-66.

Pandita, Deepu, Pandita, Anu and Pandita, Shanu (2013). Herbaceous Medicinal and Therapeutic Plants of District Samba of Jammu Province, Jammu & Kashmir (India). *Int. J. of Indigenous Medicinal Plants.* 46(2): 1224-1238.

Pareek, A. and Trivedi, P.C. (2011). Ethnobotanical studies on medicinal plants of Kaladera region of Jaipur district. *Indian J. of Fundamental and Applied Life Sciences.1(1)*: 59-63.

Patel, Hitesh R. and Patel, R.S. (2013). Ethnobotanical Plants Used by the Tribes of R.D.F. Poshina Forest Range of Sabarkantha District, North Gujarat, India. *Int. J. of Scientific and Research Publications.* 3(2): 1-4.

Preeti and Tripathi, Shalini (2014). *Ziziphus jujuba*: A Phytopharmacological Review. *Int. J. of Res. and dev. in Pharmacy and Life Sciences.* 3(3): 959-966.

Rai, M.K., Panday, A.K. (1997). Folk medicines of Gond tribe of Seoni district, M.P., India. *J. Non-Timber Forest Products* 4(½): 61-69.

Rajvaidhya, Saurabh, Nagori, B.P., Singh, G.K., Dubey, B.K., Desai, Prashant and Jain, Sanjay (2012). A review of *Acacia arabica* – An Indian Medicinal Plant. *Int. J. of Pharmaceutical Sci. and Res.* 3(7): 1995-2005.

Samvatsar, S., Diwanji, V.B. (2000). Plant sources for the treatment of Jaundice in the tribals of Western Madhya Pradesh of India. *J. Ethnopharmacol.* 73(½): 313-316.

Sebastain, M.K. and Bhandari, M.M. (1988). Medicinal plant lore in Udaipur district, Rajasthan. *Bull. Medico. Ethno. Bot. Res.* 5 (3-4): 133-134.

Shah, N.C. (2014). *Allium sativum* (Garlic). The Folk and Modern uses-Part II. *The Scitech Journal.* 1(8): 31-36.

Sharma, Anil Kumar, Kharb, Rajeev and Kaur, Rajandeep (2011). Pharmacognostical aspects of *Calotropis procera* (Ait.) R. Br. *Int. J. of Pharma and Bio Sciences. 2*(3): 480-488.

Sharma, B.D., Balakrishnan N.P., Rao, R.R. and Hajra, P.K. (1993). Flora of India. Vol. 1, B.S.I. Calcutta.

Sharma, Himanshu and Kumar, Ashwani (2011). Ethnobotanical studies on medicinal plants of Rajasthan (India): A review. *J. of Medi. Plants Res.* 5 (7): 1107-1112.

Sharma, M.P., Hussain, A. Ahmad, J. and Khan, S. (1992). Folklore medicinal plants of Mewat (Gurgaon district), Haryana, India. *Int. J. Pharmacog.* 30(2): 129-134.

Sharma, Meghendra and Kumar, Ashwani (2013). Traditional medicinal plants of Rajasthan used in tribal medicine : A Review *Int. J. of Life Sci. and Pharma. Res.* 3 (2): 38-42.

Sharma, P.K., Chauhan, N.S. and Brij Lal (2003) Commercially important medicinal and aromatic plants of Parvati Valley, Himachal Pradesh. *J. Econ. Tax. Bot.* 27(4): 937-942.

Sharma, S.K. (1997). Henna of Bhils. *J. Econ. Tax. Bot.* 21 (1): 250.

Sher, Hassan and Alyemeni, N. Mohammad (2010). Ethno-botanical and pharmaceutical evaluation of *Capparis spinosa L.*, Validity of local folk and Unani system of medicine. *J. of Medicinal Plants Res.* 4(17): 1751-1756.

Shrivastava, A., Singh, Suchita and Singh, Sanchita (2013). Phytochemical Investigation of different plant parts of *Calotropis procera. Int. J. of Scientific and Research Publications.* 3(8): 1-4.

Singh, Anant Gopal, Kumar, A. and Tewari, D.D. (2012). An ethnobotanical survey of medicinal plants used in Terai forest of Western Nepal. *J. of Ethnobiology and Ethno-medicine* 8 (19): 1-14.

Singh, Dheeraj and Singh, K. Ranjay (2011). Kair (*Capparis decidua*): A potential ethnobotanical weather predictor and livelihood security shrub of the arid zone of Rajasthan and Gujarat. *Indian J. of Traditional knowledge*. 10(1): 146-155.

Singh, K.N. (2012). Traditional knowledge on ethnobotanical uses of plant biodiversity: a detailed study from the Indian Western Himalaya. *Biodiv. Res. Conserv.* 28: 63-77.

Singh, V. and Panday, R.P. (1980). Medicinal plant lore of the tribals of Eastern Rajasthan. *J. Econ Tax Bot.* I : 137-147.

Singh, V. and Shetty, B.V. (1977). A survey of natural plant resources of Rajasthan desert. Trans ISDT UCDS, 2(2): 296-305.

Singh, V. and Singh, M. (2006), Biodiversity of Desert National Park, Rajasthan, Botanical Survey of India, Kolkata, 344pp.

Singh, V., Shrivastava, A.K. (2007). Biodiversity of Ranthambhore Tiger Reserve, Rajasthan. Scientific Publishers, Jodhpur, 416pp.

Sonu Ram, Kumar, Nitesh and Vats, Arun (2014). Traditional uses of some medicinal plants used in district Sri Ganga Nagar of Rajasthan for the treatment of various health problems. *Int. J. of Adv. Res. 2(5)*: 1068-1075.

Tewari, J.C., Mathur, B.K., Tewari, P., Singh, Yogendra, Singh, Manmohan, Moola Ram and Sharma, Anil (2013). *Prosopis juliflora* : A miracle species of hot arid and semi-arid region of india. *Popular Kheti* 1 (2): 53-59.

Tomar, Lokeshwar, Sharma, Pankaj, Bachwani, Mukesh and Bansal, Vishnu (2011). Review on Neem (*Azadirachta indica*): Thousand problems one solution. *Int. Research J. of Pharmacy.* 2(12): 97-102.

Turner, N.(1995). Ethnobotany today in north-western North America. Pages 264-283 in R.E. Schultes and S. Von Reis, eds. Ethnobotany: Evolution of a discipline. Dioscorides Press, Portland.

Uddin, Qamar, Samiulla, L., Singh, V.K. and Jamil, S.S. (2012). Phytochemical and Pharmacological profile of *Withania*

somnifera Dunal : A Review. *J. of Applied Pharmaceutical Science.* 2(1): 170-175.

Umadevi, M., Rajeswari, R., Rahale, C.S., Selvavenkadesh, S., Pushpa, R., Sampath kumar, K.P. and Bhowmik, Debjit. (2012). Traditional and Medicinal uses of *Withania somnifera*. *The pharma Innovation.* 1(9): 102-110.

Verma, P., Khan, A.A., Singh, K.K. (1995). Traditional phytotherapy among the Baiga tribe of Shahdol district of Madhya Pradesh. *Ethnobotany*. 7: 69-73.

Verma, S.K. and Kumar, Ajay (2011). Therapeutic uses of *Withania somnifera* (Ashwagandha) with a note on with anolides and its pharmacological actions. *Asian J. of Pharm and clinical research.* 4(1): 1-4.

World Health Organization(2001). General Guideline for Methodologies on Research and Evaluation of Traditional Medicine, WHO, Geneva, Switzerland.

Yadav, J.P. and Kumar, S. (2003). Folk medicinal uses of some indigenous plants among the people of Mahendergarh district, Haryana, India. *Plant Arch.* 3 : 42.

(Maya Jangir)
Scholar

(Dr. Kaushal Kumar Gautam)
Guide